INDEX TO AUTHORS.

A

Adams, E. T. See HAMMETT and ADAMS, 211

Allen, D. M. See BLOOR, PELKAN, and ALLEN, 191

Anderson, R. J., and **Kulp, W. L.** A study of the metabolism and respiratory exchange in poultry during vitamine starvation and polyneuritis, 69

Atkinson, Harry V., and **Ets, Harold N.** Chemical changes of the blood under the influence of drugs. I. Ether, 5

B

Behre, Jeanette Allen, and **Benedict, Stanley R.** Studies in creatine and creatinine metabolism. IV. On the question of the occurrence of creatinine and creatine in blood, 11

Benedict, Stanley R. See BEHRE and BENEDICT, 11

—, and **Franke, Elizabeth.** A method for the direct determination of uric acid in urine, 387

Black, A. See HART, HALPIN, and STEENBOCK, 379

Blatherwick, N. R., and **Long, M. Louisa.** The utilization of calcium and phosphorus of vegetables by man, 125

Bloor, W. R., Pelkan, K. F., and **Allen, D. M.** Determination of fatty acids (and cholesterol) in small amounts of blood plasma, 191

Bradley, H. C. Studies of autolysis. VIII. The nature of autolytic enzymes, 467

Briggs, A. P. A colorimetric method for the determination of small amounts of magnesium, 349

C

Chernoff, Lewis H. See JOHNS, CHERNOFF, and VIEHOEVER, 335

Clark, George L., and **Mann, William A.** A quantitative study of the adsorption in solution and at interfaces of sugars, dextrin, starch, gum arabic, and egg albumin, and the mechanism of their action as emulsifying agents, 157

Clausen, S. W. A method for the determination of small amounts of lactic acid, 263

Cullen, Glenn E. Studies of acidosis. XIX. The colorimetric determination of the hydrogen ion concentration of blood plasma, 501

—, and **Hastings, A. Baird.** A comparison of colorimetric and electrometric determina-

XUM

Cullen, Glenn E., and **Hastings, A. Baird.**—*continued:*
tions of hydrogen ion concentrations in solutions containing carbon dioxide, 517
—. A modification of the Clark hydrogen electrode vessel to permit accurate temperature control, 521

D

Dakin, H. D. The action of muscle tissue on fumaric, maleic, glutaconic, and malic acids, 183
Denis, W., and **von Meysenbug, L.** Note on a possible source of error in the Bell-Doisy method for the determination of phosphates in blood plasma, 1
—. The determination of magnesium in blood, plasma, and serum, 411
Deuel, Harry J., Jr. See LANGWORTHY and DEUEL, 251

E

Ets, Harold N. See ATKINSON and ETS, 5

F

Finks, A. J. See JONES, FINKS, and WATERMAN, 209
—, **Jones, D. Breese,** and **Johns, Carl O.** The rôle of cystine in the dietary properties of the proteins of the cow-pea, *Vigna sinensis*, and of the field pea, *Pisum sativum*, 403
Forbes, E. B., Schulz, J. A., Hunt, C. H., Winter, A. R., and **Remler, R. F.** The mineral metabolism of the milch cow, 281
Franke, Elizabeth. See BENEDICT and FRANKE, 387

G

Gerard, R. W. Chemical studies on intestinal intoxication. I. The presence and significance of histamine in an obstructed bowel, 111
Greene, Carl H. See GREENE and GREENE, 137
Greene, Charles W., and **Greene, Carl H.** The partial pressure of oxygen in the blood during progressively induced anoxemia, 137

H

Halpin, J. G. See HART, HALPIN, and STEENBOCK, 379
Hammett, F. S., and **Adams, E. T.** A colorimetric method for the determination of small amounts of magnesium, 211
Hart, E. B., Steenbock, H., and **Lepkovsky, S.** The antiscorbutic vitamine. I. A study of its solubility from desiccated orange juice, 241
—, **Halpin, J. G.,** and **Steenbock, H.** The nutritional requirements of baby chicks. II. Further study of leg weakness in chickens, 379
Hastings, A. Baird. See CULLEN and HASTINGS, 517
Henley, R. R. The determination of globulins in blood serum, 367

Howe, Paul E. The differential precipitation of the proteins of colostrum and a method for the determination of the proteins in colostrum, 51

Hunt, C. H. See FORBES, SCHULZ, HUNT, WINTER, and REMLER, 281

J

Johns, Carl O., Chernoff, Lewis H., and **Viehoever, Arno.** A saponin from *Agave lechuguilla* Torrey, 335

—. See FINKS, JONES, and JOHNS, 403

Johnson, O. N. See HART, HALPIN, and STEENBOCK, 379

Jones, D. Breese, Finks, A. J., and **Waterman, H. C.** A note on the nutritional adequacy of the proteins of the Chinese and Georgia velvet beans with reference to amino-acid composition, 209

—, and **Waterman, Henry C.** Studies on the digestibility of proteins *in vitro*. III. On the chemical nature of the nutritional deficiencies of arachin, 357

—. See FINKS, JONES, and JOHNS, 403

K

Kahlenberg, Louis. On some new color reactions of cholesterol, 217

Kai, Sotaro. A method of quantitative determination of trypsin. A modification of Gross' method, 133

Kendall, F. E. See MITCHELL, NEVENS, and KENDALL, 417

Kremers, Roland E. The volatile oil of *Mentha aquatica* Linné, and a note on the occurrence of pulegone, 439

Kulp, W. L. See ANDERSON and KULP, 69

L

Langworthy, C. F., and **Deuel, Harry J., Jr.** Digestibility of raw rice, arrowroot, canna, cassava, taro, tree-fern, and potato starches, 251

Lepkovsky, S. See HART, STEENBOCK, and LEPKOVSKY, 241

Levene, P. A., and **Taylor, F. A.** The synthesis of α-hydroxyisopentacosanic acid and its bearing on the structure of cerebronic acid, 227

—, and **Mikeska, L. A.** On a possible asymmetry of aliphatic diazo compounds. II, 485

Long, M. Louisa. See BLATHERWICK and LONG, 125

Lundsgaard, Christen, and **Möller, Eggert.** On the determination of the total oxygen-combining power of the blood in the Van Slyke apparatus, 377

M

Mann, William A. See CLARK and MANN, 157

von Meysenbug, L. See DENIS and VON MEYSENBUG, 1

Mikeska, L. A. See LEVENE and MIKESKA, 485

Mitchell, H. H., Nevens, W. B., and **Kendall, F. E.** The relation between the endogen-

Mitchell, H. H., Nevens, W. B., and Kendall, F. E.—*continued:* ous catabolism and the non-protein constituents of the tissues, 417

Möller, Eggert. See LUNDSGAARD and MÖLLER, 377

N

Nevens, W. B. See MITCHELL, NEVENS, and KENDALL, 417

P

Pelkan, K. F. See BLOOR, PELKAN, and ALLEN, 191

Pucher, George W. Studies on uric acid. I. Examination of the variables in the Folin and Wu uric acid method, 317

—. Studies on uric acid. II. A modification of the Folin and Wu uric acid method, 329

R

Remler, R. F. See FORBES, SCHULZ, HUNT, WINTER, and REMLER, 281

Robinson, C. S. The hydrogen ion concentration of human feces, 445

S

Schulz, J. A. See FORBES, SCHULZ, HUNT, WINTER, and REMLER, 281

Sheaff, Howard M. A method for the quantitative estimation of minute amounts of gaseous oxygen and its application to respiratory air, 35

Steenbock, H. See HART, STEENBOCK, and LEPKOVSKY, 241

—. See HART, HALPIN, and STEENBOCK, 379

Swoboda, Frederick K. Nitrogen nutrition of yeast, 91

T

Taylor, F. A. See LEVENE and TAYLOR, 227

V

Van Slyke, Donald D. Studies of acidosis. XVIII. Determination of the bicarbonate concentration of the blood and plasma, 495

—. On the measurement of buffer values and on the relationship of buffer value to the dissociation constant of the buffer and the concentration and reaction of the buffer solution, 525

Viehoever, Arno. See JOHNS, CHERNOFF, and VIEHOEVER, 335

W

Waterman, H. C. See JONES, FINKS, and WATERMAN, 209

—. See JONES and WATERMAN, 357

Wilder, Russell M., and Winter Malcolm D. The threshold of ketogenesis, 393

Winter, A. R. See FORBES, SCHULZ, HUNT, WINTER, and REMLER, 281

Winter, Malcolm D. See WILDER and WINTER, 393

Wolf, C. G. L. Some human digestion experiments with raw white of egg, 207

INDEX TO SUBJECTS.

A

Acetaldehyde:
Titration of (CLAUSEN) 264

Acids:
Buffer value of solutions of (VAN SLYKE) 531
Dissociation, general equation of (VAN SLYKE) 532
Fatty, plasma content (BLOOR, PELKAN, and ALLEN) 199
—, —, determination in (BLOOR, PELKAN, and ALLEN) 191

Agave lechuguilla:
Saponin of (JOHNS, CHERNOFF, and VIEHOEVER) 335

Air:
Respiratory, oxygen, determination of (SHEAFF) 47

Aloes:
Hydrogen ion concentration of feces, effect on (ROBINSON) 456

Amino-acids:
Yeast, source of nitrogen for (SWOBODA) 101

Ammonia:
Tissue content during endogenous catabolism (MITCHELL, NEVENS, and KENDALL) 425

Anoxemia:
Oxygen in blood, partial pressure of (GREENE and GREENE) 137

Antimony trichloride:
Cholesterol solution, behavior of (KAHLENBERG) 219

Apparatus:
Oxygen determination (SHEAFF) 36

Arachin:
Alkali-resistant residue, chemical composition (JONES and WATERMAN) 364
Cooked, digestibility of, *in vitro* (JONES and WATERMAN) 360
Digestibility of partial decomposition products (JONES and WATERMAN) 362
Nutritional deficiencies, chemical nature of (JONES and WATERMAN) 357
Partial hydrolysis by alkali (JONES and WATERMAN) 362

Arginine:
Arachin, alkali-resistant residue, content (JONES and WATERMAN) 365
Yeast, source of nitrogen for (SWOBODA) 102

Arrowroot:
Starch, raw, digestibility of (LANGWORTHY and DEUEL) 251

Arsenic:
Metabolism in milch cows (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281

Arsenic—*continued:*
Mineral metabolism of milch cows, effect on (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281
Arsenic trichloride:
Cholesterol solution, behavior of (KAHLENBERG) 220
Lanolin, reaction with (KAHLENBERG) 221
Asparagine:
Nitrogen source for yeast (SWOBODA) 97
Aspartic acid:
Yeast, source of nitrogen for (SWOBODA) 97
Autolysis:
Characteristics (BRADLEY) 469
Pepsin, effect of, on (BRADLEY) 473
Studies (BRADLEY) 467
Trypsin, effect of, on (BRADLEY) 471

B

Bacillus:
acidophilus, hydrogen ion concentration of feces, effect on (ROBINSON) 459
bulgaricus, hydrogen ion concentration of feces, effect on (ROBINSON) 459
Bacteria:
Fecal suspension, reaction of, effect on (ROBINSON) 459
Bean:
Chinese velvet, value in nutrition (JONES, FINKS, and WATERMAN) 209
Bean—*continued:*
Georgia velvet, value in nutrition (JONES, FINKS, and WATERMAN) 209
Bicarbonate:
Blood concentration, determination of (VAN SLYKE) 495
Plasma concentration, determination of (VAN SLYKE) 495
Blood:
Bicarbonate concentration, determination of (VAN SLYKE) 495
Buffer value (VAN SLYKE) 561
Chromogenic substance simulating creatinine (BEHRE and BENEDICT) 25
Composition, effect of ether on (ATKINSON and ETS) 5
Creatine, occurrence of (BEHRE and BENEDICT) 11
Creatinine, extraction of, by kaolin (BEHRE and BENEDICT) 20
—, occurrence of (BEHRE and BENEDICT) 11
Dissociation curve and arterial saturation, relation of (GREENE and GREENE) 150
Ether, effect of, on chemical composition (ATKINSON and ETS) 5
Lactic acid, determination of (CLAUSEN) 275
Magnesium, determination of (DENIS) 411

Blood—*continued:*
Oxygen, partial pressure of, in anoxemia (GREENE and GREENE) 137
—-combining power, determination of, in Van Slyke apparatus (LUNDSGAARD and MÖLLER) 377
Pathological, lactic acid content (CLAUSEN) 277
Proteins, removal of (PUCHER) 329
Sugar content, effect of ether on (ATKINSON and ETS) 7
Uric acid, determination of (PUCHER) 318, 329
See also Plasma, Serum.
Bone-black:
Blood, treatment of, and creatinine content (BEHRE and BENEDICT) 14
Bowel:
Obstructed, histamine in (GERARD) 111
α-Bromoisopentacosanic acid:
Preparation (LEVENE and TAYLOR) 238
α-Bromolignoceric acid:
Preparation (LEVENE and TAYLOR) 231
Buffer:
Amphoteric (VAN SLYKE) 558
Basis (VAN SLYKE) 557
Blood, value of (VAN SLYKE) 561
Definition (VAN SLYKE) 526
Nature and mode of action (VAN SLYKE) 525
Universal mixtures (VAN SLYKE) 558
Value, maximum (VAN SLYKE) 542
Buffer—*continued:*
Values, by titration (VAN SLYKE) 563
—, unit of measurement (VAN SLYKE) 528

C

Caladium colocasia:
See Taro.
Calcium:
Metabolism in milch cows (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281
Vegetables, utilization of, by man (BLATHERWICK and LONG) 125
Calcium salts:
Mineral metabolism of milch cow, effect on (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281
Canna:
Starch, raw, digestibility of (LANGWORTHY and DEUEL) 251
Canna edulis:
See Canna.
Carbon dioxide:
Hydrogen ion concentration, determination, effect on (CULLEN and HASTINGS) 517
Plasma capacity, effect of ether on (ATKINSON and ETS) 7
Casein:
Colostrum, determination in (HOWE) 59
Cassava:
Starch, raw, digestibility of (LANGWORTHY and DEUEL) 251
Castor oil:
Hydrogen ion concentration of feces, effect on (ROBINSON) 455

Catabolism:
Endogenous, and non-protein constituents of tissues (MITCHELL, NEVENS, and KENDALL) 417

Cerebronic acid:
Structure (LEVENE and TAYLOR) 227

***d*-Cerebronic acid:**
Preparation (LEVENE and TAYLOR) 234

***dl*-Cerebronic acid:**
Synthesis (LEVENE and TAYLOR) 238

Chickens:
Nutritional requirements (HART, HALPIN, and STEENBOCK) 379

Chlorine:
Metabolism in milch cows (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281

Cholesterol:
Blood content, effect of ether on (ATKINSON and ETS) 8
Color reactions (KAHLENBERG) 217
Isocholesterol, differentiation of, by arsenic trichloride (KAHLENBERG) 220
Phytosterol, differentiation of, by arsenic trichloride (KAHLENBERG) 221
Plasma, determination in (BLOOR, PELKAN, and ALLEN) 191
Solubility in inorganic solvents (KAHLENBERG) 219

Cibotium menziesii:
See Tree-fern.

Cod liver oil:
Chickens, growth of, effect on (HART, HALPIN, and STEENBOCK) 379

Colocasia esculenta:
See Taro.

Colostrum:
Analysis of (HOWE) 63
Casein, determination of (HOWE) 59
Euglobulin, precipitation of (HOWE) 55
Pseudoglobulin, precipitation of (HOWE) 58

Cooking:
Cow-pea, nutritive properties, effect on (FINKS, JONES, and JOHNS) 404

Cow:
Metabolism, mineral (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281

Cow-pea:
Proteins, nutritive properties (FINKS, JONES, and JOHNS) 403

Creatine:
Blood, occurrence in (BEHRE and BENEDICT) 11
Tissue content during endogenous catabolism (MITCHELL, NEVENS, and KENDALL) 426

Creatinine:
Blood content, bone-black treatment, effect of (BEHRE and BENEDICT) 14
— —, effect of ether on (ATKINSON and ETS) 7

Creatinine—*continued:*
Blood, occurrence in (BEHRE and BENEDICT) 11
Kaolin, absorption by (BEHRE and BENEDICT) 20
Cystine:
Arachin, alkali-resistant residue, content (JONES and WATERMAN) 365
Cow-pea, nutritive value, limiting factor in (FINKS, JONES, and JOHNS) 403
Yeast, source of nitrogen for (SWOBODA) 101

D

Dextrin:
Emulsifying agent, action as (CLARK and MANN) 171
Diabetes:
Ketogenic ratio in (WILDER and WINTER) 398
Diazo compounds:
Aliphatic, asymmetry of (LEVENE and MIKESKA) 485
Diazodiethyl succinate:
Preparation (LEVENE and MIKESKA) 489
Diet:
Feces, hydrogen ion concentration, effect on (ROBINSON) 450
Nitrogen excretion by rats, effect on (MITCHELL, NEVENS, and KENDALL) 423
Diethyl bromosuccinate:
Preparation (LEVENE and MIKESKA) 491
Diethyl chlorosuccinate:
Preparation (LEVENE and MIKESKA) 493
Diethyl isotricosylmalonate:
Preparation (LEVENE and TAYLOR) 234
Drugs:
Blood, composition of, effect on (ATKINSON and ETS) 5

E

Edestin:
Hydrolyzed, source on nitrogen for yeast (SWOBODA) 98
Egg albumin:
Emulsifying agent, action as (CLARK and MANN) 179
Egg white:
Digestion (WOLF) 207
Electrolytes:
Emulsifying agents, action on (CLARK and MANN) 157
Enzymes:
Autolytic, nature of (BRADLEY) 467
Epilepsy:
Ketogenic ratio in (WILDER and WINTER) 398
Ether:
Blood, chemical changes in, by (ATKINSON and ETS) 5
Ethyl alcohol:
Vitamine, antiscorbutic, solubility of (HART, STEENBOCK, and LEPKOVSKY) 242
Ethyl isopentacosanate:
Preparation (LEVENE and TAYLOR) 239

Ethyl isotricosanate:
Preparation (LEVENE and TAYLOR) 233
Ethyl lignocerate:
Preparation (LEVENE and TAYLOR) 236
Euglobulin:
Colostrum, precipitation from (HOWE) 55

F

Fat:
Blood content, effect of ether on (ATKINSON and ETS) 8
Feces:
Buffer action (ROBINSON) 457
Human, hydrogen ion concentration (ROBINSON) 445
Field peas:
Proteins, nutritive properties (FINKS, JONES, and JOHNS) 403
Fumaric acid:
Muscle tissue, action of (DAKIN) 185

G

Galactose:
Saponin of *Agave lechuguilla*, component of (JOHNS, CHERNOFF, and VIEHOEVER) 345
Globulins:
Serum, blood, determination in (HENLEY) 367
See also Euglobulin, etc.
Glucosamine:
Yeast, source of nitrogen for (SWOBODA) 101
Glucose:
Saponin of *Agave lechuguilla*, component of (JOHNS, CHERNOFF, and VIEHOEVER) 343
Glutaconic acid:
Muscle tissue, action of (DAKIN) 187
Growth:
Chickens, cod liver oil, effect of (HART, HALPIN, and STEENBOCK) 379
Gum arabic:
Emulsifying agent, action as (CLARK and MANN) 177

H

Heat production:
Poultry during polyneuritis (ANDERSON and KULP) 79
— — vitamine starvation (ANDERSON and KULP) 77
Hemolysis:
Hydrogen ion concentration of plasma, colorimetric determination, effect on (CULLEN) 504
Histamine:
Bowel, obstructed, presence in (GERARD) 111
Histidine:
Arachin, alkali-resistant residue, content (JONES and WATERMAN) 365
Yeast, source of nitrogen for (SWOBODA) 101
Hydrochloric acid:
Emulsifying agents, action on (CLARK and MANN) 157

Hydrogen electrode:
Vessel, Clark's, modification of (CULLEN) 521
Hydrogen ion concentration:
Blood, effect of ether on (ATKINSON and ETS) 8
Colorimetric and electrometric methods with solutions containing carbon dioxide, comparison of (CULLEN and HASTINGS) 517
Electrometric determination (CULLEN) 501
Feces, human (ROBINSON) 445
—, measurement of (ROBINSON) 448
—, physiological factors, influence of (ROBINSON) 451
Plasma, colorimetric determination (CULLEN) 501
***sym.*-β-Hydroxyglutaric acid:**
Glutaconic acid, formation from, by muscle tissue (DAKIN) 187
α-Hydroxylignoceric acid:
Preparation (LEVENE and TAYLOR) 232

I

Infections:
Ketogenic ratio, effect on (WILDER and WINTER) 398
Interfacial tension:
Emulsifying agents (CLARK and MANN) 157
Intestine:
Obstructed, histamine in (GERARD) 111
Intoxication:
Intestinal, chemical studies (GERARD) 111
Inversion:
Sugar as an emulsifying agent, effect on (CLARK and MANN) 167
Isocholesterol:
Cholesterol, differentiation of, by arsenic trichloride (KAHLENBERG) 220
Isopentacosane:
Preparation (LEVENE and TAYLOR) 240
Isopentacosanic acid:
Preparation (LEVENE and (TAYLOR) 234
Isopentacosyl alcohol:
Preparation (LEVENE and TAYLOR) 239
Isopentacosyl iodide:
Preparation (LEVENE and TAYLOR) 239
Isotricosanic acid:
Preparation (LEVENE and TAYLOR) 232
Isotricosyl alcohol:
Preparation (LEVENE and TAYLOR) 233
Isotricosyl iodide:
Preparation (LEVENE and TAYLOR) 233

XUM

Isotricosylmalonic acid:
Preparation (LEVENE and TAYLOR) 234

J

Jejunal mucosa:
Histamine present in (GERARD) 117

K

Kaolin:
Creatinine, absorption of (BEHRE and BENEDICT) 20

Ketogenesis:
Threshold (WILDER and WINTER) 393

Ketogenic ratio:
Diabetes (WILDER and WINTER) 398
Epilepsy (WILDER and WINTER) 398
Infections, effect of (WILDER and WINTER) 398

Kidney:
Autolysis (BRADLEY) 469

L

Lactic acid:
Blood, determination in (CLAUSEN) 275
Determination, interfering substances (CLAUSEN) 270
— of small amounts (CLAUSEN) 263
Urine, determination in (CLAUSEN) 273

Lactose:
Hydrogen ion concentration of feces, effect on (ROBINSON) 460

Lanolin:
Arsenic trichloride, reaction with (KAHLENBERG) 221

Laxatives:
Hydrogen ion concentration of feces, effect on (ROBINSON) 452

Lecithin:
Blood content, effect of ether on (ATKINSON and ETS) 8

Leg weakness:
Chickens, cod liver oil as preventative (HART, HALPIN, and STEENBOCK) 379
—, study of (HART, HALPIN, and STEENBOCK) 379

Lignoceric acid:
Cerebronic acid, relation of (LEVENE and TAYLOR) 227

Lignoceryl alcohol:
Preparation (LEVENE and TAYLOR) 237

Lignoceryl cyanide:
Preparation (LEVENE and TAYLOR) 237

Lignoceryl iodide:
Preparation (LEVENE and TAYLOR) 237

Linalool:
Mentha aquatica Linné, oil, occurrence in (KREMERS) 440

Linalool acetate:
Mentha aquatica oil, identification in (KREMERS) 440

Liver:
Autolysis (BRADLEY) 469

Lysine:
Arachin, alkali-resistant residue, content (JONES and WATERMAN) 365
Yeast, source of nitrogen for (SWOBODA) 102

M

Magnesium:
Blood, determination in (DENIS) 411
Determination (BRIGGS) 349
—, colorimetric (HAMMETT and ADAMS) 211
Metabolism in milch cows (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281
Plasma, determination in (DENIS) 411
Serum, determination in (DENIS) 411

Magnesium oxide:
Hydrogen ion concentration of feces, effect on (ROBINSON) 453

Maleic acid:
Muscle tissue, action of (DAKIN) 186

Malic acid:
Muscle tissue, action of (DAKIN) 187

***l*-Malic acid:**
Fumaric acid, formation from, by muscle tissue (DAKIN) 185

***dl*-Malic acid bisphenylhydrazide:**
Preparation (DAKIN) 188

Manihot utilissima:
See Cassava.

Maranta arundinacea:
See Arrowroot.

Mentha aquatica Linné:
Volatile oil, study of (KREMERS) 439

Mentha piperita:
Pulegone, occurrence of, in (KREMERS) 443

Metabolism:
Mineral, of milch cow (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281
—, — — —, effect of arsenic on (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281
—, — — —, effect of calcium salts (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281
Phosphorus, on exclusive rice diet (ANDERSON and KULP) 80

XUM

Metabolism—*continued:*
Polyneuritis (ANDERSON and KULP) 71
Potassium, on exclusive rice diet (ANDERSON and KULP) 80
Poultry during vitamine starvation (ANDERSON and KULP) 69
Protein, on exclusive rice diet (ANDERSON and KULP) 80

Methyl alcohol:
Vitamine, antiscorbutic, solubility of (HART, STEENBOCK, and LEPKOVSKY) 242

Muscle tissue:
Fumaric acid, action on (DAKIN) 185
Glutaconic acid, action on (DAKIN) 187
Maleic acid, action on (DAKIN) 186
Malic acid, action on (DAKIN) 187

N

Nerve:
Sciatic, respiration of (SHEAFF) 47

Nitric oxide:
Oxygen, reaction with, as means of determining (SHEAFF) 35

Nitrogen:
Determination, micro Kjeldahl (SWOBODA) 92

Nitrogen—*continued:*
Excretion, daily, by rats on nitrogen-free diet (MITCHELL, NEVENS, and KENDALL) 423
Metabolism in milch cows (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281
Non-protein, blood content, effect of ether on (ATKINSON and ETS) 7
—, of tissues and endogenous catabolism (MITCHELL, NEVENS, and KENDALL) 417
Yeast, nutrition of (SWOBODA) 91

Nutrition:
Chickens (HART, HALPIN, and STEENBOCK) 379
Chinese velvet bean, value of (JONES, FINKS, and WATERMAN) 209
Cow-peas, value of (FINKS, JONES, and JOHNS) 403
Field pea, value of (FINKS, JONES, and JOHNS) 403
Georgia velvet bean, value of (JONES, FINKS, and WATERMAN) 209

O

Orange juice:
Desiccated, vitamine of (HART, STEENBOCK, and LEPKOVSKY) 241

Oxygen:
Blood, combining power of, determination in Van Slyke apparatus (LUNDSGAARD and MÖLLER) 377
— in anoxemia, partial pressure (GREENE and GREENE) 137
—, partial pressure in, during induced anoxemia (GREENE and GREENE) 137
Determination in minute quantities (SHEAFF) 35

P

Pancreas:
Autolysis (BRADLEY) 470
Pea:
See Cow-pea, Field pea.
Pepsin:
Definition (BRADLEY) 469
Gland tissues, effect on (BRADLEY) 470
Peptamine histamine:
Intestine, obstructed, presence in (GERARD) 119
Phenolphthalein:
Hydrogen ion concentration of feces, effect on (ROBINSON) 454
Phosphates:
Plasma, determination in, error in (DENIS and VON MEYSENBUG) 1
Phosphoric acid:
Buffer values for (VAN SLYKE) 555
Phosphorus:
Inorganic content of chicken serum (HART, HALPIN, and STEENBOCK) 384
Metabolism in milch cows (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281
— on exclusive rice diet (ANDERSON and KULP) 80
Vegetables, utilization of, by man (BLATHERWICK and LONG) 125
Physiological salt solution:
Hydrogen ion concentration of feces, effect on (ROBINSON) 455
Phytosterol:
Cholesterol, differentiation of, by arsenic trichloride (KAHLENBERG) 221
Pisum sativum:
See Field pea.
Plasma:
Bicarbonate concentration, determination of (VAN SLYKE) 495
Carbon dioxide capacity, effect of ether on (ATKINSON and ETS) 7
Cholesterol, determination of (BLOOR, PELKAN, and ALLEN) 191
Fatty acid content (BLOOR, PELKAN, and ALLEN) 199

Plasma—*continued:*
Fatty acid, determination of (BLOOR, PELKAN, and ALLEN) 191
Hydrogen ion concentration, colorimetric determination of (CULLEN) 501
Magnesium content (BRIGGS) 354
—, determination of (BRIGGS) 349
—, — — (DENIS) 411
Phosphates, determination of, error in (DENIS and VON MEYSENBUG) 1

Polyneuritis:
Metabolism during (ANDERSON and KULP) 71
Respiratory exchange during (ANDERSON and KULP) 74

Potassium:
Metabolism in milch cows (FORBES, SCHULZ, HUNT, WINTER, and REMLER) 281
— on exclusive rice diet (ANDERSON and KULP) 80

Potassium oxalate:
Phosphate determination in plasma, effect on (DENIS and VON MEYSENBUG) 2

Potato:
Starch, raw, digestibility of (LANGWORTHY and DEUEL) 251

Proline:
Yeast, source of nitrogen for (SWOBODA) 102

Protein(s):
Blood, removal from (PUCHER) 329
Catabolism, endogenous, theory of (MITCHELL, NEVENS, and KENDALL) 417
Colostrum, determination of (HOWE) 51
—, differential precipitation of (HOWE) 51
Cow-pea, nutritive properties (FINKS, JONES, and JOHNS) 403
—, — —, cystine, effect of (FINKS, JONES, and JOHNS) 404
Digestibility *in vitro* (JONES and WATERMAN) 357
Field pea, nutritive properties (FINKS, JONES, and JOHNS) 403
Metabolism of, on exclusive rice diet (ANDERSON and KULP) 80

Pseudoglobulin:
Colostrum, precipitation from (HOWE) 58

Pulegone:
Mentha piperita, occurrence in (KREMERS) 443

R

Respiration:
Sciatic nerve, resting (SHEAFF)
48

Respiratory exchange:
Polyneuritis (ANDERSON and KULP)
74
Poultry during vitamine starvation (ANDERSON and KULP)
69

Rice:
Metabolism, effect on (ANDERSON and KULP)
80
Starch, digestibility of (LANGWORTHY and DEUEL)
251

S

Sapogenin:
Saponin of *Agave lechuguilla* Torrey, preparation from (JOHNS, CHERNOFF, and VIEHOEVER)
344

Saponin:
Agave lechuguilla Torrey, isolation from (JOHNS, CHERNOFF, and VIEHOEVER)
335
— — —, toxicity of (JOHNS, CHERNOFF, and VIEHOEVER)
342

Selenium oxychloride:
Cholesterol solution, behavior of (KAHLENBERG)
220

Senna:
Hydrogen ion concentration of feces, effect on (ROBINSON)
456

Serum:
Chicken, inorganic phosphorus content (HART, HALPIN, and STEENBOCK)
384
Globulins, determination of (HENLEY)
367
Magnesium, determination of (DENIS)
411

Silicon:
Metabolism in milch cows (FORBES, SCHULZ, HUNT, WINTER, and REMLER)
281

Sodium:
Metabolism in milch cows (FORBES, SCHULZ, HUNT, WINTER, and REMLER)
281

Sodium bicarbonate:
Emulsifying agents, effect on (CLARK and MANN)
157

Sodium citrate:
Phosphate determination in plasma, effect on (DENIS and VON MEYSENBUG)
2

Sodium hydroxide:
Apparatus for preparation from sodium (BLOOR, PELKAN, and ALLEN)
203
Arachin, action on (JONES and WATERMAN)
362
Emulsifying agents, action on (CLARK and MANN)
157

Sodium iodide:
Emulsifying agents, action on (CLARK and MANN)
157

XUM

Sodium sulfate:
Emulsifying agents, effect on (Clark and Mann) 157
Proteins of colostrum, fractionation of (Howe) 53
Starch:
Emulsifying agent, action as (Clark and Mann) 171
Raw, digestibility of (Langworthy and Deuel) 251
Succinamide:
Yeast, source of nitrogen for (Swoboda) 97
Succinimide:
Yeast, source of nitrogen for (Swoboda) 97
Sucrose:
Emulsifying agent, action as (Clark and Mann) 163
Sugar:
Invert, emulsifying agent, action as (Clark and Mann) 167
See also Blood sugar.
Sulfur:
Hydrogen ion concentration of feces, effect on (Robinson) 456
Metabolism in milch cows (Forbes, Schulz, Hunt, Winter, and Remler) 281
Tissue content during endogenous catabolism (Mitchell, Nevens, and Kendall) 427
Sulfuryl chloride:
Cholesterol solution, behavior of (Kahlenberg) 219
Surface tension:
Emulsifying agents (Clark and Mann) 157

T

Taro:
Starch, raw, digestibility of (Langworthy and Deuel) 251
Tissue:
Primary, protease of (Bradley) 467
Titanium tetrachloride:
Cholesterol solution, behavior of (Kahlenberg) 220
Tree-fern:
Starch, raw, digestibility of (Langworthy and Deuel) 251
Trichloroacetic acid:
Protein precipitant in uric acid analysis, value for (Pucher) 326
Trypsin:
Definition (Bradley) 468
Determination (Kai) 133
Gland tissues, effect on (Bradley) 470
Tryptophane:
Yeast, source of nitrogen for (Swoboda) 101

XUM

Tyrosine:
Autolysis of liver, formation during (BRADLEY) 472
Yeast, source of nitrogen for (SWOBODA) 101

U

Urea:
Blood content, effect of ether on (ATKINSON and ETS) 7
Tissue content during endogenous catabolism (MITCHELL, NEVENS, and KENDALL) 426

Uric acid:
Analysis, variables in (PUCHER) 317
Blood, determination in (PUCHER) 318, 329
Phosphate standard solution, preparation of (BENEDICT and FRANKE) 388
Quantitative precipitation, conditions for (PUCHER) 321
Recovery, in Folin and Wu's procedure (PUCHER) 324
Studies (PUCHER) 317, 329
Urine, direct determination in (BENEDICT and FRANKE) 387

Urine:
Lactic acid, determination of (CLAUSEN) 273
Urine—*continued:*
Magnesium content (BRIGGS) 354
—, determination of (BRIGGS) 349
Uric acid, direct determination (BENEDICT and FRANKE) 387

V

Vegetables:
Calcium, utilization of, by man (BLATHERWICK and LONG) 125
Phosphorus, utilization of, by man (BLATHERWICK and LONG) 125

Vigna sinensis:
See Cow-pea.

Viscosity:
Emulsifying agents (CLARK and MANN) 157

Vitamine:
Antiscorbutic, solubility of (HART, STEENBOCK, and LEPKOVSKY) 241
Starvation and metabolism of poultry (ANDERSON and KULP) 71
—, rice consumption during (ANDERSON and KULP) 73

Y

Yeast:
Amino-acids as source of nitrogen for (SWOBODA) 101

XUM

Yeast—*continued:*
Asparagine as source of nitrogen (SWOBODA) 97
Edestin, hydrolyzed, as source of nitrogen (SWOBODA) 98
Yeast—*continued:*
Nitrogen nutrition of (SWOBODA) 91

Z

Zamia floridana:
See Arrowroot.

XUM